



## لیست قیمت رسمی محصولات

چهارمین تولید کننده بزرگ تجهیزات حفاظتی جهان در سال ۲۰۱۲

بزرگترین تولید کننده تجهیزات مدار بسته جهان در سال ۲۰۱۲

بیش از یک میلیارد دلار فروش تجهیزات مدار بسته در سال



دو سال گارانتی و ۵ سال خدمات پس از فروش برای تمامی محصولات



Price (Rials)	Camera Specification		Product Type	Image	Model	No.
تماس بگیری	Imaging Sensor	• 1/3" DIS	700TVL DIS Dome Camera		DS-2CE55A2P(N)-IRP	1
	Resolution	• <b>700TVL high resolution</b>				
	IR Range	• 10m to 20m				
	Body Type	• Plastic Body (White)				
	Lens Type	• Fixed 2.8mm or 3.6mm				
	Camera Type	• Dome				
تماس بگیری	Imaging Sensor	• <b>1/3" PICADIS</b>	720TVL PICADIS Dome Camera		DS-2CE55C2P(N)-IRP	2
	Resolution	• <b>720TVL high resolution</b>				
	IR Range	• 10m to 20m				
	Body Type	• Plastic Body (White)				
	Lens Type	• Fixed 2.8mm or 3.6mm				
	Camera Type	• Dome				
تماس بگیری	Imaging Sensor	• 1/3" DIS	700TVL DIS Metal Dome Camera		DS-2CE55A2P(N)-IRM	3
	Resolution	• <b>700TVL high resolution</b>				
	IR Range	• 10m to 20m				
	Body Type	• <b>Metal Body IP66 (White)</b>				
	Lens Type	• Fixed 2.8mm or 3.6mm				
	Camera Type	• Dome				
تماس بگیری	Imaging Sensor	• <b>1/3" PICADIS</b>	720TVL PICADIS Metal Dome Camera		DS-2CE55C2P(N)-IRM	4
	Resolution	• <b>720TVL high resolution</b>				
	IR Range	• 10m to 20m				
	Body Type	• <b>Metal Body IP66 (White)</b>				
	Lens Type	• Fixed 2.8mm or 3.6mm				
	Camera Type	• Dome				
تماس بگیری	Imaging Sensor	• 1/3" DIS	700TVL DIS and EXIR Mini Dome Camera		DS-2CE56A2P(N)-IT1	5
	Resolution	• <b>700TVL high resolution</b>				
	IR Range	• <b>20m (EXIR)</b>				
	Body Type	• Plastic Body (White)				
	Lens Type	• Fixed 2.8mm or 3.6mm				
	Camera Type	• Dome				
تماس بگیری	Imaging Sensor	• 1/3" DIS	700TVL DIS and EXIR Mini Dome Camera		DS-2CE56A2P(N)-IT3	6
	Resolution	• <b>700TVL high resolution</b>				
	IR Range	• <b>40m (EXIR)</b>				
	Body Type	• Plastic Body (White)				
	Lens Type	• Fixed 3.6mm or 6mm				
	Camera Type	• Dome				
تماس بگیری	Imaging Sensor	• <b>1/3" PICADIS</b>	720TVL PICADIS and EXIR Mini Dome Camera		DS-2CE56C2P(N)-IT1	7
	Resolution	• <b>720TVL high resolution</b>				
	IR Range	• <b>20m (EXIR)</b>				
	Body Type	• Plastic Body (White)				
	Lens Type	• Fixed 2.8mm or 3.6mm				
	Camera Type	• Dome				
تماس بگیری	Imaging Sensor	• <b>1/3" PICADIS</b>	720TVL PICADIS and EXIR Mini Dome Camera		DS-2CE56C2P(N)-IT3	8
	Resolution	• <b>720TVL high resolution</b>				
	IR Range	• <b>40m (EXIR)</b>				
	Body Type	• Plastic Body (White)				
	Lens Type	• Fixed 3.6mm or 6mm				
	Camera Type	• Dome				

Price (Rials)	Camera Specification		Product Type	Image	Model	No.
تماس بگیرید	Imaging Sensor Resolution IR Range Body Type Lens Type Camera Type	<ul style="list-style-type: none"><li>• 1/3" DIS</li><li>• <b>700TVL high resolution</b></li><li>• 20m</li><li>• Plastic Body (White)</li><li>• <b>Vari-focal 2.8m-12m</b></li><li>• Dome</li></ul>	720TVL Vari-focal IR Dome Camera		DS-2CE55A2P(N)-VFIR3	9
تماس بگیرید	Imaging Sensor Resolution IR Range Body Type Lens Type Camera Type	<ul style="list-style-type: none"><li>• <b>1/3" PICADIS</b></li><li>• <b>720TVL high resolution</b></li><li>• 20m</li><li>• Plastic Body (White)</li><li>• <b>Vari-focal 2.8m-12m</b></li><li>• Dome</li></ul>	720TVL Vari-focal IR Dome Camera		DS-2CE55C2P(N)-VFIR3	10
تماس بگیرید	Imaging Sensor Resolution IR Range Body Type Lens Type Camera Type	<ul style="list-style-type: none"><li>• 1/3" DIS</li><li>• <b>700TVL high resolution</b></li><li>• 10m to 20m</li><li>• Metal Body IP66 (White)</li><li>• Fixed 2.8mm or 3.6mm</li><li>• Bullet</li></ul>	700TVL DIS Bullet Camera		DS-2CE15A2P(N)-IR	11
تماس بگیرید	Imaging Sensor Resolution IR Range Body Type Lens Type Camera Type	<ul style="list-style-type: none"><li>• <b>1/3" PICADIS</b></li><li>• <b>720TVL high resolution</b></li><li>• 10m to 20m</li><li>• Metal Body IP66 (White)</li><li>• Fixed 2.8mm or 3.6mm</li><li>• Bullet</li></ul>	720TVL PICADIS Bullet Camera		DS-2CE15C2P(N)-IR	12
تماس بگیرید	Imaging Sensor Resolution IR Range Body Type Lens Type Camera Type	<ul style="list-style-type: none"><li>• 1/3" DIS</li><li>• <b>700TVL high resolution</b></li><li>• <b>30m (EXIR)</b></li><li>• Metal Body IP66 (White)</li><li>• Fixed 2.8mm or 3.6mm</li><li>• Bullet</li></ul>	700TVL DIS and EXIR Bullet Camera		DS-2CE16A2P(N)-IT1	13
تماس بگیرید	Imaging Sensor Resolution IR Range Body Type Lens Type Camera Type	<ul style="list-style-type: none"><li>• 1/3" DIS</li><li>• <b>700TVL high resolution</b></li><li>• <b>50m (EXIR)</b></li><li>• Metal Body IP66 (White)</li><li>• Fixed 3.6mm or 6mm</li><li>• Bullet</li></ul>	700TVL DIS and EXIR Bullet Camera		DS-2CE16A2P(N)-IT3	14
تماس بگیرید	Imaging Sensor Resolution IR Range Body Type Lens Type Camera Type	<ul style="list-style-type: none"><li>• 1/3" DIS</li><li>• <b>700TVL high resolution</b></li><li>• <b>80m (EXIR)</b></li><li>• Metal Body IP66 (White)</li><li>• Fixed 8mm</li><li>• Bullet</li></ul>	700TVL DIS and EXIR Bullet Camera		DS-2CE16A2P(N)-IT5	15

Price (Rials)	Camera Specification		Product Type	Image	Model	No.
تماس بگیری	Imaging Sensor Resolution IR Range Body Type Lens Type Camera Type	<ul style="list-style-type: none"><li>● <b>1/3" PICADIS</b></li><li>● <b>720TVL high resolution</b></li><li>● <b>30m (EXIR)</b></li><li>● Metal Body IP66 (White)</li><li>● Fixed 3.6mm or 6mm</li><li>● Bullet</li></ul>	720TVL PICADIS and EXIR Bullet Camera		DS-2CE16C2P(N)-IT1	16
تماس بگیری	Imaging Sensor Resolution IR Range Body Type Lens Type Camera Type	<ul style="list-style-type: none"><li>● <b>1/3" PICADIS</b></li><li>● <b>720TVL high resolution</b></li><li>● <b>50m (EXIR)</b></li><li>● Metal Body IP66 (White)</li><li>● Fixed 3.6mm or 6mm</li><li>● Bullet</li></ul>	720TVL PICADIS and EXIR Bullet Camera		DS-2CE16C2P(N)-IT3	17
تماس بگیری	Imaging Sensor Resolution IR Range Body Type Lens Type Camera Type	<ul style="list-style-type: none"><li>● 1/3" DIS</li><li>● <b>700TVL high resolution</b></li><li>● <b>40m</b></li><li>● Metal Body IP66 (White)</li><li>● <b>Vari-focal 2.8m-12m</b></li><li>● Bullet</li></ul>	700TVL Vari-focal IR Bullet Camera		DS-2CE15A2P(N)-VFIR3	18
تماس بگیری	Imaging Sensor Resolution IR Range Body Type Lens Type Camera Type	<ul style="list-style-type: none"><li>● 1/3" PICADIS</li><li>● <b>720TVL high resolution</b></li><li>● <b>40m</b></li><li>● Metal Body IP66 (White)</li><li>● <b>Vari-focal 2.8m-12m</b></li><li>● Bullet</li></ul>	720TVL Vari-focal IR Bullet Camera		DS-2CE15C2P(N)-VFIR3	19
تماس بگیری	Imaging Sensor Resolution Min. Illustration Other Abilities Lens Type Camera Type	<ul style="list-style-type: none"><li>● 1/3" Sony CCD</li><li>● 600TVL high resolution</li><li>● <b>0.001Lux/F1.2</b></li><li>● <b>OSD menu, DNR, DWDR</b></li><li>● C/CS Mount</li><li>● Box</li></ul>	High Definition Box Camera		DS-2CC1181P(N)	20
تماس بگیری	Imaging Sensor Resolution Min. Illustration Other Abilities Lens Type Camera Type	<ul style="list-style-type: none"><li>● 1/3" Sony CCD</li><li>● <b>700TVL high resolution</b></li><li>● <b>0.001Lux/F1.2</b></li><li>● <b>OSD menu, DNR, DWDR</b></li><li>● C/CS Mount</li><li>● Box</li></ul>	High Definition Box Camera		DS-2CC11A1P(N)	21
تماس بگیری	Imaging Sensor Resolution Min. Illustration Other Abilities Lens Type Camera Type	<ul style="list-style-type: none"><li>● <b>1/3" Sony EXView HAD CCD II</b></li><li>● <b>700TVL high resolution</b></li><li>● <b>0.0001Lux/F1.2</b></li><li>● <b>OSD menu, 3D DNR, DWDR, EIS</b></li><li>● C/CS Mount</li><li>● Box</li></ul>	High Definition Box Camera		DS-2CC11A5P(N)	22
تماس بگیری	Imaging Sensor Resolution Min. Illustration Other Abilities Lens Type Camera Type	<ul style="list-style-type: none"><li>● <b>1/3" Sony EXView HAD CCD II</b></li><li>● <b>700TVL high resolution</b></li><li>● <b>0.0001Lux/F1.2</b></li><li>● <b>OSD menu, 3D DNR, 75db WDR, EIS</b></li><li>● C/CS Mount</li><li>● Box</li></ul>	High Definition Box Camera		DS-2CC11A7P(N)	23
تماس بگیری	Imaging Sensor Resolution Min. Illustration Other Abilities Lens Type Camera Type	<ul style="list-style-type: none"><li>● <b>1/3" Sony EXView HAD CCD II</b></li><li>● <b>700TVL high resolution</b></li><li>● <b>0.0001Lux/F1.2</b></li><li>● <b>OSD menu, 3D DNR, DWDR, EIS, HLC</b></li><li>● C/CS Mount</li><li>● Box</li></ul>	High Definition Box Camera		DS-2CC11A8P(N)	24

Price (Rials)	Camera Specification		Product Type	Image	Model	No.
تماس بگیرید	Video Channels Audio Channels Rec. Resolution Frame Rate SATA Supported Video Output	<ul style="list-style-type: none"><li>• 4 Video Channel</li><li>• 1 Audio Channel</li><li>• D1(720*576), CIF(352*288)</li><li>• 12FPS (D1), 25FPS (CIF)</li><li>• 1 SATA Up to 2TB</li><li>• CVBS, VGA</li></ul>	Standalone DVR 4Channel		DS-7204HVI-SL	25
تماس بگیرید	Video Channels Audio Channels Rec. Resolution Frame Rate SATA Supported Video Output	<ul style="list-style-type: none"><li>• 4 Video Channel</li><li>• 1 Audio Channel</li><li>• WD1(960*576), D1(720*576)</li><li>• <b>25FPS (WD1,D1,CIF)</b></li><li>• 1 SATA Up to 2TB</li><li>• CVBS, VGA</li></ul>	Standalone DVR 4Channel		DS-7104HWI-SL	26
تماس بگیرید	Video Channels Audio Channels Rec. Resolution Frame Rate SATA Supported Video Output	<ul style="list-style-type: none"><li>• 4 Video Channel</li><li>• 1 Audio Channel</li><li>• WD1(960*576), D1(720*576)</li><li>• <b>25FPS (WD1,D1,CIF)</b></li><li>• 1 SATA Up to 2TB</li><li>• CVBS, VGA, <b>HDMI</b></li></ul>	Standalone DVR 4Channel		DS-7104HWI-SH	27
تماس بگیرید	Video Channels Audio Channels Rec. Resolution Frame Rate SATA Supported Video Output	<ul style="list-style-type: none"><li>• 4 Video Channel</li><li>• 1 Audio Channel</li><li>• WD1(960*576), D1(720*576), CIF</li><li>• 15FPS (D1,WD1), 25FPS (CIF)</li><li>• 1 SATA Up to 2TB</li><li>• CVBS, VGA, <b>HDMI</b></li></ul>	Standalone DVR 4Channel		DS-7204HVI-SV	28
تماس بگیرید	Video Channels Audio Channels Rec. Resolution Frame Rate SATA Supported Video Output	<ul style="list-style-type: none"><li>• 4 Video Channel</li><li>• 1 Audio Channel</li><li>• D1(720*576), CIF(352*288)</li><li>• <b>25FPS (D1,CIF)</b></li><li>• 1 SATA Up to 2TB</li><li>• CVBS, VGA, <b>HDMI</b></li></ul>	Standalone DVR 4Channel		DS-7204HFI-SH	29
تماس بگیرید	Video Channels Audio Channels Rec. Resolution Frame Rate SATA Supported Video Output	<ul style="list-style-type: none"><li>• 4 Video Channel</li><li>• 1 Audio Channel</li><li>• WD1(960*576), D1(720*576), CIF</li><li>• <b>25FPS (WD1,D1,CIF)</b></li><li>• 1 SATA Up to 2TB</li><li>• CVBS, VGA, <b>HDMI</b></li></ul>	Standalone DVR 4Channel		DS-7204HWI-SH	30
تماس بگیرید	Video Channels Audio Channels Rec. Resolution Frame Rate SATA Supported Video Output	<ul style="list-style-type: none"><li>• 8 Video Channel</li><li>• 1 Audio Channel</li><li>• WD1(960*576), D1(720*576)</li><li>• <b>25FPS (WD1,D1,CIF)</b></li><li>• 1 SATA Up to 2TB</li><li>• CVBS, VGA</li></ul>	Standalone DVR 8Channel		DS-7108HWI-SL	31
تماس بگیرید	Video Channels Audio Channels Rec. Resolution Frame Rate SATA Supported Video Output	<ul style="list-style-type: none"><li>• 8 Video Channel</li><li>• 1 Audio Channel</li><li>• WD1(960*576), D1(720*576)</li><li>• <b>25FPS (WD1,D1,CIF)</b></li><li>• 1 SATA Up to 2TB</li><li>• CVBS, VGA, <b>HDMI</b></li></ul>	Standalone DVR 8Channel		DS-7108HWI-SH	32
تماس بگیرید	Video Channels Audio Channels Rec. Resolution Frame Rate SATA Supported Video Output	<ul style="list-style-type: none"><li>• 8 Video Channel</li><li>• 1 Audio Channel</li><li>• WD1(960*576), D1(720*576), CIF</li><li>• 15FPS (D1,WD1), 25FPS (CIF)</li><li>• 1 SATA Up to 2TB</li><li>• CVBS, VGA, <b>HDMI</b></li></ul>	Standalone DVR 8Channel		DS-7208HVI-SV	33

Price (Rails)	Camera Specification		Product Type	Image	Model	No.
تماس بگیری	Video Channels Audio Channels Rec. Resolution Frame Rate SATA Supported Video Output	<ul style="list-style-type: none"><li>• 8 Video Channel</li><li>• <b>8 Audio Channel</b></li><li>• WD1(960*576), D1(720*576), CIF</li><li>• 15FPS (D1,WD1), 25FPS (CIF)</li><li>• 1 SATA Up to 2TB</li><li>• CVBS, VGA, <b>HDMI</b></li></ul>	Standalone DVR 8Channel		DS-7208HVI-SV8	34
تماس بگیری	Video Channels Audio Channels Rec. Resolution Frame Rate SATA Supported Video Output	<ul style="list-style-type: none"><li>• 8 Video Channel</li><li>• 1 Audio Channel</li><li>• D1(720*576), CIF(352*288)</li><li>• <b>25FPS (D1,CIF)</b></li><li>• <b>2 SATA Up to 2TB</b></li><li>• CVBS, VGA, <b>HDMI</b></li></ul>	Standalone DVR 8Channel		DS-7208HFI-SH	35
تماس بگیری	Video Channels Audio Channels Rec. Resolution Frame Rate SATA Supported Video Output	<ul style="list-style-type: none"><li>• 8 Video Channel</li><li>• 1 Audio Channel</li><li>• WD1(960*576), D1(720*576)</li><li>• <b>25FPS (WD1,D1,CIF)</b></li><li>• <b>2 SATA Up to 2TB</b></li><li>• CVBS, VGA, <b>HDMI</b></li></ul>	Standalone DVR 8Channel		DS-7208HWI-SH	36
تماس بگیری	Video Channels Audio Channels Rec. Resolution Frame Rate SATA Supported Video Output	<ul style="list-style-type: none"><li>• 16 Video Channel</li><li>• <b>8 Audio Channel</b></li><li>• WD1(960*576), D1(720*576), CIF</li><li>• 10FPS (D1,WD1), 25FPS (CIF)</li><li>• 1 SATA Up to 2TB</li><li>• CVBS, VGA</li></ul>	Standalone DVR 16Channel		DS-7216HVI-SVA8	37
تماس بگیری	Video Channels Audio Channels Rec. Resolution Frame Rate SATA Supported Video Output	<ul style="list-style-type: none"><li>• 16 Video Channel</li><li>• <b>8 Audio Channel</b></li><li>• WD1(960*576), D1(720*576), CIF</li><li>• 10FPS (D1,WD1), 25FPS (CIF)</li><li>• 1 SATA Up to 2TB</li><li>• CVBS, VGA, <b>HDMI</b></li></ul>	Standalone DVR 16Channel		DS-7216HVI-SVA8 HDMI	38
تماس بگیری	Video Channels Audio Channels Rec. Resolution Frame Rate SATA Supported Video Output	<ul style="list-style-type: none"><li>• 16 Video Channel</li><li>• <b>16 Audio Channel</b></li><li>• WD1(960*576), D1(720*576), CIF</li><li>• 10FPS (D1,WD1), 25FPS (CIF)</li><li>• 1 SATA Up to 2TB</li><li>• CVBS, VGA, <b>HDMI</b></li></ul>	Standalone DVR 16Channel		DS-7216HVI-SVA16 HDMI	39
تماس بگیری	Video Channels Audio Channels Rec. Resolution Frame Rate SATA Supported Video Output	<ul style="list-style-type: none"><li>• 16 Video Channel</li><li>• 1 Audio Channel</li><li>• D1(720*576), CIF(352*288)</li><li>• <b>25FPS (D1,CIF)</b></li><li>• <b>2 SATA Up to 2TB</b></li><li>• CVBS, VGA, <b>HDMI</b></li></ul>	Standalone DVR 16Channel		DS-7216HFI-SH	40
تماس بگیری	Video Channels Audio Channels Rec. Resolution Frame Rate SATA Supported Video Output	<ul style="list-style-type: none"><li>• 16 Video Channel</li><li>• 1 Audio Channel</li><li>• WD1(960*576), D1(720*576)</li><li>• <b>25FPS (WD1,D1,CIF)</b></li><li>• <b>2 SATA Up to 2TB</b></li><li>• CVBS, VGA, <b>HDMI</b></li></ul>	Standalone DVR 16Channel		DS-7216HWI-SH	41