

HIKVISION

لیست قیمت رسمی محصولات

چهارمین تولید کننده بزرگ تجهیزات حفاظتی جهان در سال ۲۰۱۲

بزرگترین تولید کننده تجهیزات مدار بسته جهان در سال ۲۰۱۲

بیش از یک میلیارد دلار فروش تجهیزات مدار بسته در سال


دو سال گارانتی و ۵ سال خدمات پس از فروش برای تمامی محصولات



Price (Rials)	Camera Specification		Product Type	Image	Model	No.
تماس بگیرید	Imaging Sensor	• 1/3" Progressive Scan CMOS	HD 720P Dome Camera		DS-2CE56C2T-IR	1
	Resolution	• 1280*720 (1MP)				
	IR Range	• 20m				
	Body Type	• Plastic Body (White)				
	Lens Type	• Fixed 2.8mm				
	Other Feathers	• 0.01Lux Min. Illustration, DNR				
تماس بگیرید	Imaging Sensor	• 1/3" Progressive Scan CMOS	HD 720P Dome Camera		DS-2CE56C2T-IRM	2
	Resolution	• 1280*720 (1MP)				
	IR Range	• 20m				
	Body Type	• Metal Body IP66 (White)				
	Lens Type	• Fixed 2.8mm				
	Other Feathers	• 0.01Lux Min. Illustration, DNR				
تماس بگیرید	Imaging Sensor	• 1/3" Progressive Scan CMOS	HD 1080P Dome Camera		DS-2CE56D5T-IRM	3
	Resolution	• 1920*1080 (2MP)				
	IR Range	• 20m				
	Body Type	• Metal Body IP66 (White)				
	Lens Type	• Fixed 2.8mm				
	Other Feathers	• 0.01Lux Min. Illustration, DNR, WDR				
تماس بگیرید	Imaging Sensor	• 1/3" Progressive Scan CMOS	HD 720P EXIR Dome Camera		DS-2CE56C2T-IT1	4
	Resolution	• 1280*720 (1MP)				
	IR Range	• 20m (EXIR)				
	Body Type	• Plastic Body (White)				
	Lens Type	• Fixed 2.8mm or 3.6mm				
	Other Feathers	• 0.01Lux Min. Illustration, DNR				
تماس بگیرید	Imaging Sensor	• 1/3" Progressive Scan CMOS	HD 720P EXIR Dome Camera		DS-2CE56C2T-IT3	5
	Resolution	• 1280*720 (1MP)				
	IR Range	• 40m (EXIR)				
	Body Type	• Plastic Body (White)				
	Lens Type	• Fixed 2.8mm or 3.6mm				
	Other Feathers	• 0.01Lux Min. Illustration, DNR				
تماس بگیرید	Imaging Sensor	• 1/3" Progressive Scan CMOS	HD 720P Low Illustration EXIR Dome Camera		DS-2CE56C5T-IT1	6
	Resolution	• 1305*1049 (1.3MP)				
	IR Range	• 20m (EXIR)				
	Body Type	• Plastic Body (White)				
	Lens Type	• Fixed 2.8mm or 3.6mm				
	Other Feathers	• 0.001Lux Min. Illustration, DNR, OSD Menu				
تماس بگیرید	Imaging Sensor	• 1/3" Progressive Scan CMOS	HD 720P Low Illustration EXIR Dome Camera		DS-2CE56C5T-IT3	7
	Resolution	• 1305*1049 (1.3MP)				
	IR Range	• 40m (EXIR)				
	Body Type	• Plastic Body (White)				
	Lens Type	• Fixed 3.6mm				
	Other Feathers	• 0.001Lux Min. Illustration, DNR, OSD Menu				
تماس بگیرید	Imaging Sensor	• 1/3" Progressive Scan CMOS	HD1080P EXIR Dome Camera		DS-2CE56D5T-IT1	8
	Resolution	• 1920*1080 (2MP)				
	IR Range	• 20m (EXIR)				
	Body Type	• Plastic Body (White)				
	Lens Type	• Fixed 2.8mm				
	Other Feathers	• 0.01Lux Min. Illustration, DNR, WDR				
تماس بگیرید	Imaging Sensor	• 1/3" Progressive Scan CMOS	HD 1080P EXIR Dome Camera		DS-2CE56D5T-IT3	9
	Resolution	• 1920*1080 (2MP)				
	IR Range	• 40m (EXIR)				
	Body Type	• Plastic Body (White)				
	Lens Type	• Fixed 3.6mm				
	Other Feathers	• 0.01Lux Min. Illustration, DNR, WDR				

Price (Rials)	Camera Specification		Product Type	Image	Model	No.
تماس بگیریید	Imaging Sensor Resolution IR Range Body Type Lens Type Other Feathers	• 1/3" Progressive Scan CMOS • 1305*1049 (1.3MP) • 20m (EXIR) • Plastic Body (White) • Vari-focal 2.8m-12m • 0.001Lux Min. Illustration, DNR, OSD Menu	HD 720P Vari-Focal Dome Camera		DS-2CE56C5T-VFIR3	10
تماس بگیریید	Imaging Sensor Resolution IR Range Body Type Lens Type Other Feathers	• 1/3" Progressive Scan CMOS • 1920*1080 (2MP) • 20m (EXIR) • Plastic Body (White) • Vari-focal 2.8m-12m • 0.01Lux Min. Illustration, DNR, WDR	HD 1080P Vari-Focal Dome Camera		DS-2CE56D5T-VFIR3	11
تماس بگیریید	Imaging Sensor Resolution IR Range Body Type Lens Type Other Feathers	• 1/3" Progressive Scan CMOS • 1305*1049 (1.3MP) • 20m (EXIR) • Metal Body IP66 (White) • Vari-focal 2.8m-12m • 0.001Lux Min. Illustration, DNR, OSD Menu	HD 720P Vari-Focal Dome Camera		DS-2CE56C5T-VPIR3	12
تماس بگیریید	Imaging Sensor Resolution IR Range Body Type Lens Type Other Feathers	• 1/3" Progressive Scan CMOS • 1280*720 (1MP) • 20m • Metal Body IP66 (White) • Fixed 2.8mm or 3.6mm • 0.01Lux Min. Illustration, DNR	HD 720P Bullet Camera		DS-2CE16C2T-IR	13
تماس بگیریید	Imaging Sensor Resolution IR Range Body Type Lens Type Other Feathers	• 1/3" Progressive Scan CMOS • 1920*1080 (2MP) • 20m • Metal Body IP66 (White) • Fixed 3.6mm • 0.01Lux Min. Illustration, DNR, WDR	HD 1080P Bullet Camera		DS-2CE16D5T-IR	14
تماس بگیریید	Imaging Sensor Resolution IR Range Body Type Lens Type Other Feathers	• 1/3" Progressive Scan CMOS • 1280*720 (1MP) • 20m (EXIR) • Metal Body IP66 (White) • Fixed 2.8mm or 3.6mm • 0.01Lux Min. Illustration, DNR	HD 720P EXIR Bullet Camera		DS-2CE16C2T-IT1	15
تماس بگیریید	Imaging Sensor Resolution IR Range Body Type Lens Type Other Feathers	• 1/3" Progressive Scan CMOS • 1280*720 (1MP) • 40m (EXIR) • Metal Body IP66 (White) • Fixed 3.6mm or 6mm • 0.01Lux Min. Illustration, DNR	HD 720P EXIR Bullet Camera		DS-2CE16C2T-IT3	16
تماس بگیریید	Imaging Sensor Resolution IR Range Body Type Lens Type Other Feathers	• 1/3" Progressive Scan CMOS • 1280*720 (1MP) • 80m (EXIR) • Metal Body IP66 (White) • Fixed 6mm • 0.01Lux Min. Illustration, DNR	HD 720P EXIR Bullet Camera		DS-2CE16C2T-IT5	17
تماس بگیریید	Imaging Sensor Resolution IR Range Body Type Lens Type Other Feathers	• 1/3" Progressive Scan CMOS • 1305*1049 (1.3MP) • 20m (EXIR) • Metal Body IP66 (White) • Fixed 2.8mm • 0.001Lux Min. Illustration, DNR, OSD Menu	HD 720P Low Illustration EXIR Bullet Camera		DS-2CE16C5T-IT1	18

Price (Rails)	Camera Specification		Product Type	Image	Model	No.
تماس بگیریید	Imaging Sensor Resolution IR Range Body Type Lens Type Other Feathers	<ul style="list-style-type: none">1/3" Progressive Scan CMOS1305*1049 (1.3MP)40m (EXIR)Metal Body IP66 (White)Fixed 3.6mm0.001Lux Min. Illustration, DNR, OSD Menu	HD 720P Low Illustration EXIR Bullet Camera		DS-2CE16C5T-IT3	19
تماس بگیریید	Imaging Sensor Resolution IR Range Body Type Lens Type Other Feathers	<ul style="list-style-type: none">1/3" PICADIS720TVL high resolution80m (EXIR)Metal Body IP66 (White)Fixed 6mm0.001Lux Min. Illustration, DNR, OSD Menu	HD 720P Low Illustration EXIR Bullet Camera		DS-2CE16C5T-IT5	20
تماس بگیریید	Imaging Sensor Resolution IR Range Body Type Lens Type Other Feathers	<ul style="list-style-type: none">1/3" Progressive Scan CMOS1920*1080 (2MP)20m (EXIR)Metal Body IP66 (White)Fixed 2.8mm0.01Lux Min. Illustration, DNR, WDR	HD 1080P EXIR Bullet Camera		DS-2CE16D5T-IT1	21
تماس بگیریید	Imaging Sensor Resolution IR Range Body Type Lens Type Other Feathers	<ul style="list-style-type: none">1/3" Progressive Scan CMOS1920*1080 (2MP)40m (EXIR)Metal Body IP66 (White)Fixed 3.6mm0.01Lux Min. Illustration, DNR	HD 1080P EXIR Bullet Camera		DS-2CE16D5T-IT3	22
تماس بگیریید	Imaging Sensor Resolution Min. Illustration Other Abilities Lens Type Other Feathers	<ul style="list-style-type: none">1/3" Progressive Scan CMOS1920*1080 (2MP)80m (EXIR)Metal Body IP66 (White)Fixed 6mm0.01Lux Min. Illustration, DNR, WDR	HD 1080P EXIR Bullet Camera		DS-2CE16D5T-IT5	23
تماس بگیریید	Imaging Sensor Resolution Min. Illustration Other Abilities Lens Type Other Feathers	<ul style="list-style-type: none">1/3" Progressive Scan CMOS1305*1049 (1.3MP)30m (EXIR)Metal Body IP66 (White)Vari-focal 2.8m-12m0.001Lux Min. Illustration, DNR, OSD Menu	HD 720P Vari-Focal Bullet Camera		DS-2CE16C5T-VFIR3	24
تماس بگیریید	Imaging Sensor Resolution Min. Illustration Other Abilities Lens Type Other Feathers	<ul style="list-style-type: none">1/3" Progressive Scan CMOS1920*1080 (2MP)50m (EXIR)Metal Body IP66 (White)Vari-focal 2.8m-12m0.01Lux Min. Illustration, DNR, WDR	HD 1080P Vari-Focal Bullet Camera		DS-2CE16D5T-VFIT3	25

Price (Rials)	Camera Specification		Product Type	Image	Model	No.
تماس بگیرید	Video Channels Audio Channels Rec. Resolution Frame Rate SATA Supported Video Output	<ul style="list-style-type: none">• 4 Video Channel• 1 Audio Channel• 1080P(1920*1080), 720P(1280*720), WD1, D1• 16FPS (1080P), 25FPS (720P,WD1,D1)• 1 SATA Up to 4TB• HDMI, VGA	Turbo HD 4Channel DVR		DS-7204HGHI-SH	28
تماس بگیرید	Video Channels Audio Channels Rec. Resolution Frame Rate SATA Supported Video Output	<ul style="list-style-type: none">• 4 Video Channel• 4 Audio Channel• 1080P(1920*1080), 720P(1280*720), WD1, D1• 25FPS (1080P,720P,WD1,D1)• 1 SATA Up to 4TB• HDMI, VGA	Turbo HD 4Channel DVR		DS-7204HQHI-SH	29
تماس بگیرید	Video Channels Audio Channels Rec. Resolution Frame Rate SATA Supported Video Output	<ul style="list-style-type: none">• 8 Video Channel• 1 Audio Channel• 1080P(1920*1080), 720P(1280*720), WD1, D1• 16FPS (1080P), 25FPS (720P,WD1,D1)• 1 SATA Up to 4TB• HDMI, VGA	Turbo HD 8Channel DVR		DS-7208HGHI-SH	30
تماس بگیرید	Video Channels Audio Channels Rec. Resolution Frame Rate SATA Supported Video Output	<ul style="list-style-type: none">• 8 Video Channel• 4 Audio Channel• 1080P(1920*1080), 720P(1280*720), WD1, D1• 25FPS (1080P,720P,WD1,D1)• 2 SATA Up to 4TB• HDMI, VGA	Turbo HD 8Channel DVR		DS-7208HQHI-SH	31
تماس بگیرید	Video Channels Audio Channels Rec. Resolution Frame Rate SATA Supported Video Output	<ul style="list-style-type: none">• 8 Video Channel• 4 Audio Channel• 1080P(1920*1080), 720P(1280*720), WD1, D1• 25FPS (1080P,720P,WD1,D1)• 4 SATA Up to 4TB• HDMI, VGA, CVBS	Turbo HD 8Channel DVR		DS-7308HQHI-SH	32
تماس بگیرید	Video Channels Audio Channels Rec. Resolution Frame Rate SATA Supported Video Output	<ul style="list-style-type: none">• 16 Video Channel• 1 Audio Channel• 1080P(1920*1080), 720P(1280*720), WD1, D1• 16FPS (1080P), 25FPS (720P,WD1,D1)• 2 SATA Up to 4TB• HDMI, VGA	Turbo HD 16Channel DVR		DS-7216HGHI-SH	33
تماس بگیرید	Video Channels Audio Channels Rec. Resolution Frame Rate SATA Supported Video Output	<ul style="list-style-type: none">• 16 Video Channel• 4 Audio Channel• 1080P(1920*1080), 720P(1280*720), WD1, D1• 25FPS (1080P,720P,WD1,D1)• 4 SATA Up to 4TB• HDMI, VGA, CVBS	Turbo HD 16Channel DVR		DS-7316HQHI-SH	34