



## لیست قیمت رسمی محصولات

چهارمین تولید کننده بزرگ تجهیزات حفاظتی جهان در سال ۲۰۱۲

بزرگترین تولید کننده تجهیزات مدار بسته جهان در سال ۲۰۱۲

بیش از یک میلیارد دلار فروش تجهیزات مدار بسته در سال










دو سال گارانتی و ۵ سال خدمات پس از فروش برای تمامی محصولات



Price (Rials)	Camera Specification		Product Type	Image	Model	No.
تماس بگیرید	Imaging Sensor	• 1/3" Progressive CMOS	2MP IP66 Network Mini Dome Camera		DS-2CD2120F-IS	1
	Resolution	• <b>2MP (1920*1080) / 25FPS</b>				
	IR Range	• 20m				
	Body Type	• Metal Body IP66 (Vandal Proof)				
	Lens Type	• Fixed 4mm				
	Other Abilities	• POE, DWDR, DNR				
تماس بگیرید	Imaging Sensor	• 1/3" Progressive CMOS	3MP IP66 Network Mini Dome Camera		DS-2CD2132-IS	2
	Resolution	• <b>3MP (2048*1536) / 20FPS</b>				
	IR Range	• 20m				
	Body Type	• Metal Body IP66 (Vandal Proof)				
	Lens Type	• Fixed 4mm				
	Other Abilities	• POE, DWDR, DNR				
تماس بگیرید	Imaging Sensor	• 1/4" Progressive CMOS	1.3MP Outdoor Network Mini Dome WDR Camera		DS-2CD2114WD-I	3
	Resolution	• 1MP (1280*720) / 25FPS				
	IR Range	• 20m				
	Body Type	• Metal Body IP66 (Vandal Proof)				
	Lens Type	• Fixed 4mm				
	Other Abilities	• POE, <b>WDR (100db)</b> , DNR				
تماس بگیرید	Imaging Sensor	• 1/3" Progressive CMOS	3MP Outdoor Network Mini Dome Camera		DS-2CE2332I	4
	Resolution	• <b>3MP (2048*1536) / 20FPS</b>				
	IR Range	• <b>30m (EXIR)</b>				
	Body Type	• Plastic Body IP66				
	Lens Type	• Fixed 4mm				
	Other Abilities	• POE, DWDR, DNR				
تماس بگیرید	Imaging Sensor	• 1/3" Progressive CMOS	2MP Network Mini Dome Camera		DS-2CD2520F	5
	Resolution	• <b>2MP (1920*1080) / 25FPS</b>				
	IR Range	• -None-				
	Body Type	• Metal Body IP66 (Vandal Proof)				
	Lens Type	• Fixed 4mm				
	Other Abilities	• POE, DWDR, DNR, <b>SD Card Support</b>				
تماس بگیرید	Imaging Sensor	• 1/3" Progressive CMOS	3MP IP66 Network Mini Dome Camera		DS-2CD2532F-IS	6
	Resolution	• <b>3MP (2048*1536) / 20FPS</b>				
	IR Range	• 10m to 20m				
	Body Type	• Metal Body IP66 (Vandal Proof)				
	Lens Type	• Fixed 4mm				
	Other Abilities	• POE, DWDR, DNR, <b>SD Card Support, Built-in Mic</b>				
تماس بگیرید	Imaging Sensor	• 1/3" Progressive CMOS	4MP IP66 Network Fisheye Camera		DS-2CD2942F	7
	Resolution	• <b>4MP (2464*1520) / 12FPS</b>				
	IR Range	• -None-				
	Body Type	• Metal Body IP66 (Vandal Proof)				
	Lens Type	• Fixed 1.6mm (180° Panaromic View)				
	Other Abilities	• POE, DWDR, DNR, <b>SD Card Support</b>				

Price (Rails)	Camera Specification		Product Type	Image	Model	No.
تماس بگیری	Imaging Sensor	• 1/3" Progressive CMOS	1.3MP IP66 Network IR Dome Camera		DS-2CD2720F-IS	8
	Resolution	• <b>2MP (1920*1080) / 25FPS</b>				
	IR Range	• 30m				
	Body Type	• Metal Body IP66 (Vandal Proof)				
	Lens Type	• <b>Vari-focal 2.8m-12m</b>				
	Other Abilities	• POE, DWDR, DNR, <b>SD Card Support</b>				
تماس بگیری	Imaging Sensor	• 1/3" Progressive CMOS	3MP IP66 Network IR Dome Camera		DS-2CD2732F-IS	9
	Resolution	• <b>3MP (2048*1536) / 20FPS</b>				
	IR Range	• 30m				
	Body Type	• Metal Body IP66 (Vandal Proof)				
	Lens Type	• <b>Vari-focal 2.8m-12m</b>				
	Other Abilities	• POE, DWDR, DNR, <b>SD Card Support</b>				
تماس بگیری	Imaging Sensor	• 1/3" Progressive CMOS	2MP IR Mini Bullet Camera		DS-2CD2020I	10
	Resolution	• <b>2MP (1920*1080) / 25FPS</b>				
	IR Range	• 20m				
	Body Type	• Metal Body IP66				
	Lens Type	• Fixed 4mm				
	Other Abilities	• POE, DWDR, DNR				
تماس بگیری	Imaging Sensor	• 1/3" Progressive CMOS	3MP IR Mini Bullet Camera		DS-2CD2032I	11
	Resolution	• <b>3MP (2048*1536) / 20FPS</b>				
	IR Range	• 20m				
	Body Type	• Metal Body IP66				
	Lens Type	• Fixed 4mm				
	Other Abilities	• POE, DWDR, DNR				
تماس بگیری	Imaging Sensor	• 1/4" Progressive CMOS	1.3MP IR Mini Bullet WDR Camera		DS-2CD2014WD-I	12
	Resolution	• 1MP (1280*720) / 25FPS				
	IR Range	• 20m				
	Body Type	• Metal Body IP66				
	Lens Type	• Fixed 4mm				
	Other Abilities	• POE, <b>WDR (100db)</b> , DNR				
تماس بگیری	Imaging Sensor	• 1/3" Progressive CMOS	3MP EXIR Bullet Camera		DS-2CD2232-I5	13
	Resolution	• <b>3MP (2048*1536) / 20FPS</b>				
	IR Range	• <b>50m (EXIR)</b>				
	Body Type	• Metal Body IP66				
	Lens Type	• Fixed 6mm				
	Other Abilities	• POE, DWDR, DNR				
تماس بگیری	Imaging Sensor	• 1/3" Progressive CMOS	3MP IR Bullet Camera		DS-2CD2T32-I3	14
	Resolution	• <b>3MP (2048*1536) / 20FPS</b>				
	IR Range	• 30m				
	Body Type	• Metal Body IP66				
	Lens Type	• Fixed 4mm				
	Other Abilities	• POE, DWDR, DNR				
تماس بگیری	Imaging Sensor	• 1/3" Progressive CMOS	3MP IR Bullet Camera		DS-2CD2T32-I5	15
	Resolution	• <b>3MP (2048*1536) / 20FPS</b>				
	IR Range	• 50m				
	Body Type	• Metal Body IP66				
	Lens Type	• Fixed 6mm				
	Other Abilities	• POE, DWDR, DNR				
تماس بگیری	Imaging Sensor	• 1/3" Progressive CMOS	3MP IR Bullet Camera		DS-2CD2T32-I7	16
	Resolution	• <b>3MP (2048*1536) / 20FPS</b>				
	IR Range	• 80m				
	Body Type	• Metal Body IP66				
	Lens Type	• Fixed 6mm				
	Other Abilities	• POE, DWDR, DNR				

Price (Rails)	Camera Specification		Product Type	Image	Model	No.
تماس بگیریید	Imaging Sensor Resolution IR Range Body Type Lens Type Other Abilities	<ul style="list-style-type: none"><li>• 1/3" Progressive CMOS</li><li>• <b>2MP (1920*1080) / 25FPS</b></li><li>• 30m</li><li>• Metal Body IP66</li><li>• <b>Vari-focal 2.8m-12m</b></li><li>• POE, DWDR, DNR, <b>SD Card Support</b></li></ul>	2MP Vari-focal IR Bullet Camera		DS-2CD2620F-IS	18
تماس بگیریید	Imaging Sensor Resolution IR Range Body Type Lens Type Other Abilities	<ul style="list-style-type: none"><li>• 1/3" Progressive CMOS</li><li>• <b>3MP (2048*1536) / 20FPS</b></li><li>• 30m</li><li>• Metal Body IP66</li><li>• <b>Vari-focal 2.8m-12m</b></li><li>• POE, DWDR, DNR, <b>SD Card Support</b></li></ul>	3MP Vari-focal IR Bullet Camera		DS-2CD2632F-IS	19
تماس بگیریید	Imaging Sensor Resolution IR Range Body Type Lens Type Other Abilities	<ul style="list-style-type: none"><li>• 1/3" Progressive CMOS</li><li>• <b>2MP (1920*1080) / 25FPS</b></li><li>• 10m</li><li>• Plastic Body</li><li>• Fixed 2.8mm</li><li>• POE, DWDR, DNR, <b>SD Card Support, PIR</b></li></ul>	2MP IR Cube Network Camera		DS-2CD2420FD-I	20
تماس بگیریید	Imaging Sensor Resolution IR Range Body Type Lens Type Other Abilities	<ul style="list-style-type: none"><li>• 1/3" Progressive CMOS</li><li>• <b>2MP (1920*1080) / 25FPS</b></li><li>• 10m</li><li>• Plastic Body</li><li>• Fixed 2.8mm</li><li>• POE, DWDR, DNR, <b>SD Card Support, Built-in Mic, PIR</b></li></ul>	2MP IR Cube WI-Fi Network Camera		DS-2CD2420FD-IW	21
تماس بگیریید	Imaging Sensor Resolution IR Range Body Type Lens Type Other Abilities	<ul style="list-style-type: none"><li>• 1/3" Progressive CMOS</li><li>• <b>3MP (2048*1536) / 20FPS</b></li><li>• 10m</li><li>• Plastic Body</li><li>• Fixed 2.8mm</li><li>• POE, DWDR, DNR, <b>SD Card Support, Built-in Mic, WI-Fi, PIR</b></li></ul>	3MP IR Cube Network Camera		DS-2CD2432F-I	22
تماس بگیریید	Imaging Sensor Resolution IR Range Body Type Lens Type Other Abilities	<ul style="list-style-type: none"><li>• 1/3" Progressive CMOS</li><li>• <b>3MP (2048*1536) / 20FPS</b></li><li>• 10m</li><li>• Plastic Body</li><li>• Fixed 2.8mm</li><li>• POE, DWDR, DNR, <b>SD Card Support, Built-in Mic, WI-Fi, PIR</b></li></ul>	3MP IR Cube WI-Fi Network Camera		DS-2CD2432F-IW	23
تماس بگیریید	Imaging Sensor Resolution IR Range Other Abilities Lens Type Camera Type	<ul style="list-style-type: none"><li>• 1/4" Progressive CMOS</li><li>• 1MP (1280*720) / 25FPS</li><li>• 10m</li><li>• Plastic Body</li><li>• Fixed 2.8mm</li><li>• POE, DWDR, DNR, <b>SD Card Support, Built-in Mic, WI-Fi, PIR, 360' Pan/Tilt</b></li></ul>	1.0MP Mini IR PT Network Camera		DS-2CD2Q10FD-IW	24
تماس بگیریید	Imaging Sensor Resolution Min. Illustration Other Abilities Lens Type Camera Type	<ul style="list-style-type: none"><li>• 1/3" Progressive CMOS</li><li>• <b>2MP (1920*1080) / 25FPS</b></li><li>• <b>0.01 Lux</b></li><li>• Plastic Body</li><li>• C/CS mount</li><li>• POE, DWDR, DNR, <b>Intrusion Detection, Audio In/Out</b></li></ul>	2MP Box Network Camera		DS-2CD2820F	25

Price (Rials)	Camera Specification	Product Type	Image	Model	No.
تماس بگیرید	Supported Cams. • 4 Camera Supported POE Channels • No POE Max. Resolution • 5MP Input BandWidth • 25Mbps Output BandWidth • 40Mbps SATA Supported • 1 SATA Up to 4TB	Mini Network Video Recorder 4Channel		DS-7104NI-SN	26
تماس بگیرید	Supported Cams. • 4 Camera Supported POE Channels • <b>4 POE Ports</b> Max. Resolution • 5MP Input BandWidth • 25Mbps Output BandWidth • 40Mbps SATA Supported • 1 SATA Up to 4TB	POE Mini Network Video Recorder 4Channel		DS-7104NI-SN/P	27
تماس بگیرید	Supported Cams. • 4 Camera Supported ( <b>Wi-Fi</b> ) POE Channels • No POE Max. Resolution • 5MP Input BandWidth • 20Mbps Output BandWidth • 40Mbps SATA Supported • 1 SATA Up to 4TB	Wi-Fi Mini Network Video Recorder 4Channel		DS-7104NI-SL/W	28
تماس بگیرید	Supported Cams. • 4 Camera Supported POE Channels • No POE Max. Resolution • 5MP Input BandWidth • 25Mbps Output BandWidth • <b>80Mbps</b> SATA Supported • 1 SATA Up to 4TB	Network Video Recorder 4Channel		DS-7604NI-E1	29
تماس بگیرید	Supported Cams. • 4 Camera Supported POE Channels • <b>4 POE Ports</b> Max. Resolution • 5MP Input BandWidth • 25Mbps Output BandWidth • <b>80Mbps</b> SATA Supported • 1 SATA Up to 4TB	POE Network Video Recorder 4Channel		DS-7604NI-E1/4P	30
تماس بگیرید	Supported Cams. • 8 Camera Supported POE Channels • No POE Max. Resolution • 5MP Input BandWidth • 25Mbps Output BandWidth • 40Mbps SATA Supported • 1 SATA Up to 4TB	Mini Network Video Recorder 8Channel		DS-7108NI-SN	31
تماس بگیرید	Supported Cams. • 8 Camera Supported POE Channels • <b>4 POE Ports</b> Max. Resolution • 5MP Input BandWidth • 50Mbps Output BandWidth • 40Mbps SATA Supported • 1 SATA Up to 4TB	POE Mini Network Video Recorder 8Channel		DS-7108NI-SN/P	32
تماس بگیرید	Supported Cams. • 8 Camera Supported POE Channels • No POE Max. Resolution • 5MP Input BandWidth • 80Mbps Output BandWidth • <b>80Mbps</b> SATA Supported • 2 SATA Up to 4TB	Network Video Recorder 8Channel		DS-7608NI-E2	33
تماس بگیرید	Supported Cams. • 8 Camera Supported POE Channels • <b>8 POE Ports</b> Max. Resolution • 5MP Input BandWidth • 50Mbps Output BandWidth • <b>80Mbps</b> SATA Supported • 2 SATA Up to 4TB	POE Network Video Recorder 8Channel		DS-7608NI-E2/8P	34

Price (Rails)	Camera Specification	Product Type	Image	Model	No.
تماس بگیریډ	Supported Cams. • 16 Camera Supported POE Channels • No POE Max. Resolution • 5MP Input BandWidth • 100Mbps Output BandWidth • 40Mbps SATA Supported • 2 SATA Up to 4TB	Mini Network Video Recorder 16Channel		DS-7116NI-SN	35
تماس بگیریډ	Supported Cams. • 16 Camera Supported POE Channels • <b>4 POE Ports</b> Max. Resolution • 5MP Input BandWidth • 100Mbps Output BandWidth • 40Mbps SATA Supported • 2 SATA Up to 4TB	POE Mini Network Video Recorder 16Channel		DS-7116NI-SN/P	36
تماس بگیریډ	Supported Cams. • 16 Camera Supported POE Channels • No POE Max. Resolution • 5MP Input BandWidth • 100Mbps Output BandWidth • <b>80Mbps</b> SATA Supported • 2 SATA Up to 4TB	Network Video Recorder 16Channel		DS-7616NI-E2	37
تماس بگیریډ	Supported Cams. • 16 Camera Supported POE Channels • <b>8 POE Ports</b> Max. Resolution • 5MP Input BandWidth • 100Mbps Output BandWidth • <b>80Mbps</b> SATA Supported • 2 SATA Up to 4TB	POE Network Video Recorder 16Channel		DS-7616NI-E2/8P	38
تماس بگیریډ	Supported Cams. • 4 Camera Supported POE Channels • No POE Max. Resolution • 5MP Input BandWidth • 20Mbps Output BandWidth • 40Mbps SATA Supported • 2 SATA Up to 4TB	Network Video Recorder 4Channel		DS-7604NI-V	39
تماس بگیریډ	Supported Cams. • 4 Camera Supported POE Channels • <b>4 POE Ports</b> Max. Resolution • 5MP Input BandWidth • 20Mbps Output BandWidth • 40Mbps SATA Supported • 2 SATA Up to 4TB	POE Network Video Recorder 4Channel		DS-7604NI-VP	40
تماس بگیریډ	Supported Cams. • 8 Camera Supported POE Channels • No POE Max. Resolution • 5MP Input BandWidth • 40Mbps Output BandWidth • 40Mbps SATA Supported • 2 SATA Up to 4TB	Network Video Recorder 8Channel		DS-7608NI-V	41
تماس بگیریډ	Supported Cams. • 8 Camera Supported POE Channels • <b>8 POE Ports</b> Max. Resolution • 5MP Input BandWidth • 40Mbps Output BandWidth • 40Mbps SATA Supported • 2 SATA Up to 4TB	POE Network Video Recorder 8Channel		DS-7608NI-VP	42
تماس بگیریډ	Supported Cams. • 16 Camera Supported POE Channels • No POE Max. Resolution • 5MP Input BandWidth • 80Mbps Output BandWidth • 40Mbps SATA Supported • 2 SATA Up to 4TB	Network Video Recorder 16Channel		DS-7616NI-V	43